

CARA Ulster Glade × A25/19





General production advice ware potatoes

- Good drought tolerance
- Good heat tolerance
- · Big size tubers
- High yield



Characteristics

Market Traditional Cooking type Maturity Yield Very high Very large Tuber size Round oval Tuber shape Number of tubers 6-8 Skin colour Yellow Flesh colour Cream

Flesh after cooking Shallowness of eyes

Berries

Dormancy period

Emergence Metribuzin sensitivity Foliage development

Internal bruising Little potato disorder

Dry matter content

UWW Drought resistance AB (rather rm) Moderately late

No discoloration Rather shallow eyes

No berries

Moderately long dormancy

Normal Sensitive Good

Moderate sensitive

19,3 % 352

Planting populations

Plant depth		Normal
Planting distance		Row distance 75 cm
Size	Plants/ha	Distance
28/35	58.000	23 cm
35/55	45.000	30 cm

Depending of cultivation purpose.

We advise to always check the tuber number for an

accurate calculation.

Resistances

Foliage blight 7 Tuber blight Common scab PVY

Powdery scab Susceptible Slightly susceptible Spraing


Yntn tuber tolerance

PCN Resistance Ro1 & Ro4 Resistant Wart disease Fysio 1 Resistant

Fertilization

- Adapt fertilization based on soil analysis.
- Nitrogen: 200 kg N/ha in 2 doses. Inclusive of soil supply.
- Phosphate according to standard advice
- Potassium according to standard advice
- Preferably in 2 doses.

CARA Ulster Glade × A25/19



Pre-treatment and planting

- Heat treatment is necessary to open the eyes gradually, this advances the crop.
- Pre-sprouting is not recommended, Cara can be planted good with small white buds.
- Tubers and or soil treatments are advised to control Rhizoctonia

Growing attention points

- · Cara emergences moderate, but develops and covers well and has got strong stems.
- Cara is sensitive to metribuzin, use only pre-emergence.
- Spraying against Late blight is advised.
- Tuber count is quite low and the tubers grow big easily.
- This variety can be grown on all types of soil.

Haulm killing and harvest

- The maturing is late.
- Allow a good hardening o of the tubers before harvest for a better skin set.
- Harvest with care to prevent damage.

Storage

- Be sure of good attention to drying and wound healing.
- A cool and dry product prevents increase of Silver scurf.
- Cara has a moderately long dormancy.